SIDSAMS




# Tea Bag Solutions Profile

+91 8368599034
+91-9811986899

14/7, Mathura Road, Faridabad- 121003,
Haryana (INDIA)

info@sidsamgroup.com
www.sidsamgroup.com

# Single Chamber Tea Bag
## Packing Machine with Outer Envelope

| | |
|---|---|
| Machine Dimension in mtr (LxWxH) | 900 x 610 x 1500 |
| Speed (Per Minute) | 35-40 bags/min |
| Filing Volume Range | 1.5–2.5 g (Customized) |
| Type of Film | Filter Paper / Lamination |
| Dimention of Material in (WxH) | 50 mm x 50 mm |
| Shachet Size Standard in (WxH) | 90 mm x 75 mm |
| Power Consumption | 4.5 kW |
| Air Consumption | 6.7 CFM |
| Weight | 650 KG |
| Sealing Type | Heat Sealable Sealing |

### Product Output






# Single Chamber High-Speed
## Tea Bag Packing Machine with Heat Sealable Outer Sachet

| | |
|---|---|
| Machine Dimension in mtr (LxWxH) | 1750 x 1400 x 2200 |
| Speed (Per Minute) | 100-120 bags/min |
| Filing Volume Range | 1.5–2.5 g (Customized) |
| Type of Film | Filter Paper / Lamination |
| Dimention of Material in (WxH) | 50 mm x 50 mm |
| Shachet Size Standard in (WxH) | 90 mm x 75 mm |
| Power Consumption | 5 kW |
| Air Consumption | 6 CFM |
| Weight | 1275 KG |
| Sealing Type | Heat Sealable Sealing |

### Product Output




# Single Chamber High-Speed
## Tea Bag Packing Machine with Paper Crimping Outer Envelope

| | |
|---|---|
| Material of Construction | SS304 & Food Grade Material |
| Speed (Per Minute) | 100-150 bags/min |
| Filing Volume Range | 1.5–2.5 g (Customized) |
| Type of Film | Filter Paper / Lamination |
| Dimention of Material in (WxH) | 50 mm x 50 mm |
| Envelope Size Standard in (WxH) | 65 mm x 70 mm |
| Power Consumption | 4.2 kW |
| Air Consumption | 5 CFM |
| Weight | 525 KG |
| Sealing Type | Heat Sealable Sealing |

### Product Output



# Pyramid Tea Bag Packing

## Machine with Outer Sachet

### Product Output




| | |
|---|---|
| Machine Dimension in mtr (LxWxH) | 2000 x 2500 x 3500 mm |
| Speed (Per Minute) | 30–35 bags/min |
| Filing Volume Range | 1.5–2.5 g (Customized) |
| Type of Film | Nylon / PLA mesh + outer envelope laminate |
| Dimention of Material in (WxH) | 60 mm x 60 mm |
| Shachet Size Standard in (WxH) | 90 mm x 75 mm (Customized) |
| Power Consumption | 5 kW |
| Air Consumption | 5.6 CFM |
| Weight | 525 KG |
| Sealing Type | Ultrasonic |



Get in

# Touch

SIDSAMS

Follow us on


**Mobile**
+91 8368599034
+91-9811986899

**Address**
14/7, Mathura Road, Faridabad- 121003,
Haryana (INDIA)

**Email**
info@sidsamgroup.com

**Website**
www.sidsamgroup.com